



Ref. Certif. No.

SE-79529

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE**CERTIFICAT D'ESSAI OC**

Product
Produit

Control circuit device and switching elements

Name and address of the applicant
Nom et adresse du demandeur

Zhejiang Chint Electrics Co., Ltd.
No.1, Chint Road, Chint Industrial Zone, North Baixiang,
Yueqing, Zhejiang Province, 325603, CHINA

Name and address of the manufacturer
Nom et adresse du fabricant

Same as above

Name and address of the factory
Nom et adresse de l'usine

Same as applicant

Note: When more than one factory, please report on page 2
Note: Lorsque il y a plus d'une usine, veuillez utiliser la 2^{ème} page

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

$I_{th}=10A$, IP65 (for head part after normal installation)
AC-15: 1,9A, 415~ / 3A, 240~ / 6A, 120~
DC-13: 0,27A, 250d.c. / 0,55A, 125d.c.

Trademark (if any)
Marque de fabrique (si elle existe)

CHINT

Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeur

-

Model / Type Ref.
Ref. De type

NP8

Additional information (if necessary may also be reported on page 2)
Les informations complémentaires (si nécessaire, peuvent être indiqués sur la 2^{ème} page)

See page 2-3

A sample of the product was tested and found to be in conformity with
Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 60947-5-1:2003+A1

As shown in the Test Report Ref. No. which forms part of this Certificate
Comme indiqué dans le Rapport d'essais numéro de référence qui constitue partie de ce Certificat

150400450SHA-001

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification

Intertek Semko AB
Box 1103
SE-164 22 Kista, Sweden
Int +46 8 750 00 00

Intertek

Signature:


Bo Berglöv

Date: 27 May 2015

Additional information (if necessary)
Information complémentaire (si nécessaire)

All types of pushbutton have the same basic contactor block. Operated by manual.

No. of circuit: 1, 2 and 3


Ratings of contactor block: $I_{th}=10A$

Utilization category		Ratings		
AC-15	$U_e(V)$	415	240	120
	$I_n(A)$	1,9	3	6
DC-13	$U_e(V)$	250	125	/
	$I_n(A)$	0,27	0,55	/

Ratings for illuminated pushbutton:

Type of lamp	LED lamp
$U_e(V)$	AC/DC 6, 12, 24, 36, 110, 220, 230
$I_n(A)$	$\leq 20mA$

Type Designation:



Date: 27 May 2015

Signature:

[Handwritten Signature]

Additional information (if necessary)
Information complémentaire (si nécessaire)

Table 1:

Version		Auxiliary code
Code	Designation	
BN	Flush button	
GN	Projecting button	
M	Mushroom-headed reset button	Max. Diameter of operating mechanism: 1 [Φ40] 2 [Φ60] 3 [Φ30]
ZS	Mushroom-headed self-locking and rotary reset button	
MD	Illuminated mushroom-headed reset button	
SD	Illuminated double-headed button	
XD	Illuminated rotary button	21[Two position locking] 22[Two positions reset] 31[Three position locking] 33[Three positions reset] 37[Left position locking; right position reset] 38[Right position locking; left position reset]
X	Rotary button	
Y	Keyed button	
S	Double-headed button	
BND	Illuminated flush button	
GND	Illuminated projecting button	
D	Indicator light	

Date: 27 May 2015

Signature:

